CONTENTS Vol. 130, Nos. 1–2, 1991

U. Schwertmann, Solubility and dissolution of iron oxides 1

W. L. Lindsay, Iron oxide solubilization by organic matter and its effect on iron availability 27

E. Bar-Ness and Y. Chen, Manure and peat based iron-organo complexes. I. Characterization and enrichment 35

E. Bar-Ness and Y. Chen, Manure and peat based iron-organo complexes. II. Transport in soils 45

P. F. Bell, R. L. Chaney and J. S. Angle, Free metal activity and total metal concentrations as indices of micronutrient availability to barley [*Hordeum vulgare* (L.) 'Klages'] 51

S. R. Rodriguez de Cianzio, Recent advances in breeding for improving iron utilization by plants 63

R. E. Macur, R. A. Olsen and W. P. Inskeep, Photochemical mobilization of ferritin iron 69

J. D. Cornett and G. V. Johnson, Ferric chelate reduction by suspension culture cells and roots of soybean: A kinetic comparison 75

T. Zaharieva and V. Römheld, Factors affecting cation-anion uptake balance and iron acquisition in peanut plants grown on calcareous soils 81

V. D. Jolley, J. C. Brown and P. E. Nugent, A genetically related response to iron-deficiency stress in muskmelon 87

E. Alcántara and M. D. de la Guardia, Variability of sunflower inbred lines to iron-deficiency stress 93

R. B. Clark and N. Reinhard, Effects of soil temperature on root and shoot growth traits and iron-deficiency chlorosis in sorghum genotypes grown on a low iron calcareous soil 97

A. Mozafar, Contact with ballotini (glass spheres) stimulates exudation of iron-reducing and iron-chelating substances from barley roots 105

L. Bavaresco, M. Fregoni and P. Fraschini, Investigations on iron uptake and reduction by excised roots of different grapevine rootstocks and a *V. vinifera* cultivar 109

F. J. Romera, E. Alcántara and M. D. de la Guardia, Characterization of the tolerance to iron chlorosis in different peach rootstocks grown in nutrient solution. I. Effect of bicarbonate and phosphate 115

F. J. Romera, E. Alcántara and M. D. de la Guardia, Characterization of the tolerance to iron chlorosis in different peach rootstocks grown in nutrient solution. II. Iron-stress response mechanisms 121

V. Römheld, The role of phytosiderophores in acquisition of iron and other micronutrients in graminaceous species: An ecological approach 127

S. Mihashi, S. Mori and N. Nishizawa, Enhancement of ferric mugineic acid uptake by iron-deficient barley roots in the presence of excess free mugineic acid in the medium 135

S. Mori, N. Nishizawa, H. Hayashi, M. Chino, E. Yoshimura and J. Ishihara, Why are young rice plants highly susceptible to iron deficiency? 143

J. C. Brown, V. D. Jolley and C. M. Lytle, Comparative evaluation of iron solubilizing substances (phytosiderophores) released by oats and corn: Iron-efficient and iron-inefficient plants 157

C. M. Lytle, V. D. Jolley and J. C. Brown, Iron-efficient and iron-inefficient oats and corn respond differently to iron-deficiency stress 165

F. S. Zhang, M. Treeby, V. Römheld and H. Marschner, Mobilization of iron by phytosiderophores as affected by other micronutrients 173

D. E. Crowley, Y. C. Wang, C. P. P. Reid and P. J. Szaniszlo, Mechanisms of iron acquisition from siderophores by microorganisms and plants 179

M. L. Guerinot, Iron uptake and metabolism in the rhizobia/legume symbioses 199

P. R. Gill, Jr., L. L. Barton, M. D. Scoble and J. B. Neilands, A high-affinity iron transport system of *Rhizobium meliloti* may be required for efficient nitrogen fixation *in planta* 211

G. V. Johnson and G. J. Youngblood, Responses of nitrogen-fixing and nitrate-supplied alfalfa (*Medicago sativa* L.) to iron chelates in an alkaline hydroponic medium 219

R. E. Terry, K. U. Soerensen, V. D. Jolley and J. C. Brown, The role of active *Bradyrhizobium japonicum* in iron-stress response of soybeans 225

E. Bar-Ness, Y. Chen, Y. Hadar, H. Marschner and V. Römheld, Siderophores of *Pseudomonas putida* as an iron source for dicot and monocot plants 231

J. S. Buyer, L. J. Sikora and M. G. Kratzke, Development of a detection system for ferric pseudobactin using monoclonal antibodies 243

M. Höfte, K. Y. Seong, E. Jurkevitch and W. Verstraete, Pyoverdin production by the plant growth beneficial Pseudomonas strain $7NSK_2$: Ecological significance in soil 249

A. Federspiel, R. Schuler and K. Haselwandter, Effect of pH, L-ornithine and L-proline on the hydroxamate siderophore production by *Hymenoscyphus ericae*, a typical ericoid mycorrhizal fungus 259

C. Enard, T. Franza, C. Neema, P. R. Gill, M. Persmark, J. B. Neilands and D. Expert, The requirement of chrysobactin dependent iron transport for virulence incited by *Erwinia chrysanthemi* on *Saintpaulia ionantha* 263

J. J. Mortvedt, Correcting iron deficiencies in annual and perennial plants: Present technologies and future prospects 273

A. Wallace, Rational approaches to control of iron deficiency other than plant breeding and choice of resistant cultivars 281